


Front CAMBER

**Rotate eccentric to
adjust CAMBER.**



***Some vehicles may require a kit**

FIRESTONE
1501 JUAN TABO NE
ALBUQUERQUE, NM 87112
505-292-2808

Date 8/15/11 10:53 AM

Subaru : SVX : 1992-97

Front : Left

Actual	Before	Specified Range
-1.0°	-1.1°	-1.2° 0.3°
4.7°	4.7°	4.1° 5.6°
-0.01°	0.46°	-0.12° 0.12°
16.5°	16.6°	
15.5°	15.5°	
		-6.10° -3.10°

Camber
Caster
Toe
SAI
Included Angle
Turning Angle Diff.

Front : Right

Actual	Before	Specified Range
-1.8°	-1.7°	-1.2° 0.3°
4.5°	4.5°	4.1° 5.6°
-0.02°	0.33°	-0.12° 0.12°
16.2°	16.1°	
14.4°	14.4°	
		-6.10° -3.10°

Front

	Actual	Before	Specified Range
Cross Camber	0.7°	0.6°	
Cross Caster	0.1°	0.1°	
Cross SAI	0.4°	0.5°	
Total Toe	-0.02°	0.79°	-0.24° 0.24°
Cross Turn Diff.			

Rear : Left

Actual	Before	Specified Range
-0.4°	-0.5°	-1.4° 0.1°
0.01°	0.23°	-0.12° 0.12°


Camber
Toe

Rear : Right

Actual	Before	Specified Range
-0.1°	-0.1°	-1.4° 0.1°
0.03°	-0.25°	-0.12° 0.12°

Rear

	Actual	Before	Specified Range
Cross Camber	-0.2°	-0.4°	
Total Toe	0.04°	-0.02°	-0.24° 0.24°
Thrust Angle	-0.01°	0.24°	-0.33° 0.33°



camber kit

